Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	@rlad<"20040127" and (map\$3 near5 (module unit engine tool)) and (software with (assembl\$3 packag\$4 build\$4)).clm. and (user near2 specif\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 13:27
S2	1	@rlad<"20040127" and (map\$3 near5 (module unit engine tool)) and (software with (assembl\$3 packag\$4 build\$4)).ab. and (user near2 specif\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:15
S3	0	@rlad<"20040127" and (map\$3 near5 (module unit engine tool)) and (software with (assembl\$3 packag\$4 build\$4)) and (interface same (user near2 specif\$5)) and (requirement same (input near3 parameter)) and (manufactur\$4 near5 (information part param\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 13:30
S4	39	@rlad<"20040127" and (map\$3 near5 (module unit engine tool)) and (model same (assembl\$3 packag\$4 build\$4 cell)) and (interface same (user near2 specif\$5)) and (requirement same (input parameter cell attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 13:32
S5	19	parts and (assembl\$3 and model\$2).clm. and (executable same (modular link cell atomic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 13:34
S6	11	parts and (assembl\$3 and model\$2).ab. and ((enlist\$4 mapping executable) same (modular link cell atomic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 13:35
S7	24	(S1 S2 S4 S5 S6) and database and (software with (build assembl\$4 manufactur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 13:36

S8	9	S7 not Ginter.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 13:38
S9	11	("5,038,318" "5,398,336" "5,548, 756" "6,049,742" "6,457,049" "6, 477,660" ).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 13:39
S10	3874	(activity screen) same (icon thumnail activeX object) same (click\$4 near4 (double user))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 15:13
S11	81	((activity viewer labview) near5 (console GUI screen panel window)) same (icon thumnail activeX object) same (click\$4 near4 (double user))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 15:00
S12	54	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 15:00
S13	13	S12 and (event same (execute fire input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 15:03
S14	2	S13 and model and (workflow framework (assembly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/01 15:04
S15	662	S10 and model and (workflow framework (assembly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 15:03

S16		(workflow same (icon with double-click)) and ((repository catalog\$3 library database model) with (link\$4 associat\$4 mapp\$3)) and ((business enterprise) near4 (transaction logic)) and ((built-to-order software) with (build\$4 assembl\$4 develop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 15:08
S17	2	(workflow and (icon with double-click)) and ((repository catalog\$3 library database model) with (link\$4 associat\$4 mapp\$3)) and ((business enterprise) near4 (transaction logic)) and ((built-to-order software) with (build\$4 assembl\$4 develop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/03/01 15:09
S18	717	(workflow) and ((repository catalog\$3 library database model) with (link\$4 associat\$4 mapp\$3)) and ((business enterprise) near4 (transaction logic)) and ((built-to-order software) with (build\$4 assembl\$4 develop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 15:09
S19	166	S18 and ((activeX link icon\$3 moniker node) same (click\$3 near3 (double single user)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 16:15
S20	20	(S10 S15) and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 15:15
S21	538	((business enterprise) near4 (logic transaction activity)) and model and database and (activity screen workflow) and (icon thumnail activeX object node) same (click\$4 near4 (double single user))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 15:15
S22	538	((business enterprise) near4 (logic transaction activity)) and model and database and (activity screen workflow) and ((icon thumnail activeX object node) same (click\$4 near4 (double single user)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 15:15

S23	67	(S10 S11 S18 S19) and S22 and @rlad<"20040127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 15:45
S24	7	S23 and ("Use case" UML "Rationale Rose")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 15:46
S25	7	S23 and ("Use case" UML "Rational Rose")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 16:26
S26	2	"7085739".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 16:00
S27	6	S23 and ((activeX link icon\$3 moniker node) same (click\$3 near3 (double single user))) and (UML "Use Cases" (Use adj case))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 16:18
S28	4	S27 and (input with (function execut\$4 run))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 16:19
S29	23	S23 and ((activeX link icon\$3 moniker node) same (click\$3 near3 (double single user))) and (input with (function execut\$4 run))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 16:20
S30	1918	(interface tool viewer GUI activity model) same ((type same input same (task method function)) same execut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 16:23

S31	0	(S25 S28 S29) and (workflow logic MVC framework tree) and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 16:22
S32	26	(S25 S28 S29) and (workflow logic MVC framework tree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 16:22
S33	8	S32 and ((input same (task method function)) same execut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/01 16:23
S34	0	Unisys.as. and (Rational adj Rose) and "Use Case" and ((account enterprise business) near4 (transaction logic workflow)) and (viewer activity model).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:13
S35	0	(BEA Websphere Labview Weblogic MVC) and (Rational adj Rose) and "Use Case" and ((account enterprise business) near4 (transaction logic workflow)) and (viewer activity model).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:14
S36	42	(BEA Websphere Labview Weblogic MVC) and ((Rational adj Rose) UML "Use Case" ) and ((account enterprise business) near4 (transaction logic workflow)) and (viewer activity model).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 09:14
S37	5	S36 and @rlad<"20040127" and (map\$3 near5 (object module unit engine tool)) and ((software object) with (creat\$4 assembl\$3 packag\$4 build\$4)) and (user near4 (enter\$4 key input specif\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:39
S38	4	("6282699" "20050005261").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:40